

09/654987

CORRE

I hereby certify that this correspondence is being deposited on 6/20/05 with the United States Postal Service with sufficient postage as first class mail under 37 CFR 1.8 in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Date 6/20/05

Signature: Marjorie Scariati
Marjorie Scariati

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Inventor(s) : Aiden Flangan

Patent No. : 6,860,960 B1

Issue Date : March 1, 2005

Title : Method of Applying a Laser Beam Around the Circumference of a Catheter

Confirm. No. : 7494

Docket : S63.2-8765 (now 99-0254)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SIR:

REQUEST FOR CERTIFICATE OF CORRECTION

Applicant's attorney, on behalf of the Assignee of record, hereby requests the issuance of a Certificate of Correction for the following Applicant errors pursuant to 35 USC §255, and for the following Patent Office errors pursuant to 35 USC §254:

Correction is requested for the following Applicant errors:

Specification, Col. 4, line 32, after "of", insert - - a - -.

Specification, Col. 4, line 59, after last word "portion" insert - - of - -.

Specification, Col. 5, line 46, after "from", delete - - made from - - .

Specification, Col. 5, line 52, change "Arnitel", to - - Arnitel ® - - .

Specification, Col. 5, line 52, change “Hytrel” to - - Hytrel ® - - .

Specification, Col. 7, line 1, after “and”, insert - - are - -.

Specification, Col. 8, line 50, after “of”, insert - - the - -.

Specification, Col. 8, line 51, before last word “distal”, insert - - the - -.

Specification, Col. 8, line 64, after “absorptivity”, insert - - of - -.

Specification, Col. 9, line 31, after first word “include”, delete - - a - -.

Specification, Col. 9, line 31, after “hyperbolic”, change “mirror” to - - mirrors - - .

Specification, Col. 9, line 47, after “hologram” insert - - , - -.

Specification, Col. 10, line 34, after “tubing” change “made” to - - may - -.

Specification, Col. 13, line 60, after “the”, change “focussed” to - - focused - -.

Specification, Col. 13, line 63, after “the”, change “focussing” to - - focusing - -.

Specification, Col. 14, line 13, after “above”, change “Examples” to - - examples - -.

Claim 1, Col. 14, line 24, before “catheter”, change “Polymeric” to - - polymeric - -.

Claim 20, Col. 16, line 32, first word “overlapped”, change to - - over-lapped - -.

Claim 21, Col. 16, line 35, before “portion”, change “overlapped” to - - over-lapped - -.

Correction is requested for the following Patent Office errors:

Specification, Col. 5, line 15, after “thermoplastic”, delete - - in - - .

Specification, Col. 7, line 62, last word “my” change to - - may - -.

Specification, Col. 9, lines 23 & 24, change “overlap-pings” to - - overlap-ping - - .

Specification, Col. 9, line 38, after “invention” change “fuller” to - - further - -.

Specification, Col. 11, line 60, after “tubing”, change “a” to - - and - - .

Specification, Col. 13, line 40, after “segment”, change “absentia” to - - absent, a - - .

Claim 1, Col. 14, line 33, first word "bean", change to - - beam - -.

Claim 1, Col. 14, line 39, before "one", change "lent" to - - least - -.


Claim 6, Col. 15, line 4, after "annular", insert - - beams - -.

Claim 12, Col. 15, line 26, after "the" (first occurrence), change "press" to - - process - -.

Approval and entry of the above corrections is respectfully requested.

While it is not believed that any additional fees are due, in the event additional amounts are due as a result of this request for certificate of correction, authorization is hereby given to charge the undersigned attorney's PTO Deposit Account #50-1047 accordingly. Also filed herewith is PTO Form 1050, duly completed.

Respectfully submitted:



Karen L. Williams Reg. No. 36,721
Mayer Fortkort & Williams, PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

Date: 6/17/05
Tel.: 908-518-7700
Fax: 908-518-7795

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,860,960 B1

DATED : March 1, 2005

INVENTOR(S): Aiden Flangan

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Specification, Col. 4, line 32, after "of", insert - - a - -.

Specification, Col. 4, line 59, after last word "portion" insert - - of - -.

Specification, Col. 5, line 15, after "thermoplastic", delete - - in - - .

Specification, Col. 5, line 46, after "from", delete - - made from - - .

Specification, Col. 5, line 52, change "Arnitel", to - - Arnitel ® - - .

Specification, Col. 5, line 52, change "Hytrel" to - - Hytrel ® - - .

Specification, Col. 7, line 1, after "and", insert - - are - -.

Specification, Col. 7, line 62, last word "my" change to - - may - -.

Specification, Col. 8, line 50, after "of", insert - - the - -.

Specification, Col. 8, line 51, before last word "distal", insert - - the - -.

MAILING ADDRESS OF SENDER:

Karen L. Williams Reg. No. 36,721
Mayer Fortkort & Williams, PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

PATENT NO. 6,860,960 B1

No. of additional copies 2

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete the form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1350.

If you need assistance in completing the form, call 1-800- PTO-9199 and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,860,960 B1

DATED : March 1, 2005

INVENTOR(S): Aiden Flangan

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Specification, Col. 8, line 64, after "absorptivity", insert - - of - -.

Specification, Col. 9, lines 23 & 24, change "overlap-pings" to - - overlap-ping - - .

Specification, Col. 9, line 31, after first word "include", delete - - a - -.

Specification, Col. 9, line 31, after "hyperbolic", change "mirror" to - - mirrors - - .

Specification, Col. 9, line 38, after "invention" change "fuller" to - - further - - .

Specification, Col. 9, line 47, after "hologram" insert - - , - -.

Specification, Col. 10, line 34, after "tubing" change "made" to - - may - -.

Specification, Col. 11, line 60, after "tubing", change "a" to - - and - - .

Specification, Col. 13, line 40, after "segment", change "absentia" to - - absent, a - - .

Specification, Col. 13, line 60, after "the", change "focussed" to - - focused - -.

MAILING ADDRESS OF SENDER:

Karen L. Williams Reg. No. 36,721
Mayer Fortkort & Williams, PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

PATENT NO. 6,860,960 B1

No. of additional copies 1

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete the form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1350.

If you need assistance in completing the form, call 1-800- PTO-9199 and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,860,960 B1

DATED : March 1, 2005

INVENTOR(S): Aiden Flangan

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Specification, Col. 13, line 63, after "the", change "focussing" to - - focusing - -.

Specification, Col. 14, line 13, after "above", change "Examples" to - - examples - -.

Claim 1, Col. 14, line 24, before "catheter", change "Polymeric" to - - polymeric - -.

Claim 1, Col. 14, line 33, first word "bean", change to - - beam - -.

Claim 1, Col. 14, line 39, before "one", change "lent" to - - least - -.

Claim 6, Col. 15, line 4, after "annular", insert - - beams - -.

Claim 12, Col. 15, line 26, after "the" (first occurrence), change "press" to - - process - -.

Claim 20, Col. 16, line 32, first word "overlapped", change to - - over-lapped - -.

Claim 21, Col. 16, line 35, before "portion", change "overlapped" to - - over-lapped - -.

MAILING ADDRESS OF SENDER:

Karen L. Williams Reg. No. 36,721
Mayer Fortkort & Williams, PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

PATENT NO. 6,860,960 B1

No. of additional copies 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete the form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1350.

If you need assistance in completing the form, call 1-800- PTO-9199 and select option 2.